

Official Use Only:
BUILDING PERMIT ISSUED

BY:	
DATE:	

BUILDING PERMIT – ISSUED BY THE CITY OF HORSESHOE BAY

LOT NUMBER:		PL A	AT NUMBER		
STREET ADDRESS:					
PROPERTY OWNER:				PHONE:	
MAILING ADDRESS:					
CONTRACTOR:				PHONE:	
MAILING ADDRESS:					_
PERMIT HOLDER:				PHONE:	_
MAILING ADDRESS:					_
E-MAIL ADDRESS:					_
	PERMIT FI	EE SCH	<u>EDULE</u>		
	RESI	DENTIA	<u>\L</u>		
Residential \$0.35 per square foo	t Residential Remodel, in	ncluding p	perforations of slabs, \$0).35 per square	e foot
Residential more than 10,000 sq	. ft. is subject to review and app	roval by	City Council. Permit f	fee \$0.35 per s	quare foot
Multi-family Residential Remod	del - \$500/Unit	□Mu	lti-Family Residential l	ess than 5,000	sq. ft\$1,000 per unit
Multi-Family Residential more t	han 5,000 sq. ft - Subject to Rev	view	Manufactured Home	\$0.35 per squ	are foot
	COM	MERCL	<u>AL</u>		
Commercial less than 10,000 sq.	ft covered - \$2,500	Comn	nercial more than 10,00	0 sq .ft. covere	ed – Subject to Review
☐Marinas – Subject to Review		Storag	e Units - \$1,000	Comm	nercial Remodel - \$1,000
	ACCESSOR	Y STRU	<u>CTURES</u>		
Swimming Pool / Spa - \$100	☐Fence - \$100		☐Tennis Courts - \$1:	50 [Roof /Re-Roof - \$200
Boat Dock / Boat House - \$100	Personal Watercraft Dock	- \$50	Retaining Wall / Se	ea Wall / Bulk	head - \$100
Deck / Patio/ Balcony - \$100	☐Arbor - \$100		Driveway / Parkin	g Area - \$100	Grade and Fill - \$100
Storage Building - \$100	Other			\$	Subject to Review
NOTE: No additional permit residential or commercial per Office Use: Residential New Constructi	mit.	-		-	art of the plans for a
Multi-Family Residential /	Commercial / Accessory S	Structu	re Permit Fee	\$	
Construction Compliance a	nd Clean Up Deposit			\$	
Total Fee	Foundation Layout Inspection Credit (New Resid	dential Constr	action Only) \$	\$	

 $NOTE: The following \ Attachments \ A-I \ provide \ additional \ information \ on \ permits, inspections, and \ ordinances \ pertaining \ to \ construction.$

ATTACHMENT A CONTRACTOR INFORMATION

THIS FORM MUST BE COMPLETED AND SUBMITTED WITH THE PERMIT APPLICATION

PLEASE CHECK APPROPRIATE BOX

	"Spec" Home		Custom Home
	ntractor or firm can have more than two active permonal permits beyond two require City Council approx		e for speculative homes
Genera	al Contractor		
At the	time of application the following licensed sub-contra	actors are to be	used:
	PLUMBING CONTRAC	TOR	
Compa	any		
Mailin	ng Address		
License	se #Phones	#	
	ELECTRIC CONTRACT	ГОК	
Compa	any		
Mailin	ng Address		
License	se#Phone	#	
	MECHANICAL / HVAC CON	TRACTOR	
Compa	any		
Mailin	ng Address		
License	se# Phones	#	

ATTACHMENT B DEPOSIT & CONTRACTOR CONDUCT DURING CONSTRUCTION

Deposit Required:

In addition to the Building Permit fees and utility hook-up charges set out above, a deposit in the same amount as the permit fee shall be paid to the City. The deposit is refundable to the Applicant who made the deposit after a Certificate of Occupancy is issued and the Development Services Department has authorized the refund. The Applicant shall be provided a copy of this section when the deposit is delivered, providing notice of the possibility that deductions will be made for certain acts as set out herein. Additionally, the Applicant hereby agrees, by signature on the next page, that deductions may be made from the deposit for any of the acts described below:

Possible Deposit Forfeiture & Deductions:

Forfeiture: On new construction Projects, if the structure is occupied before the City issues a temporary or permanent Certificate of Occupancy, the deposit is forfeited in its entirety. On remodeling projects or when a building or unit has been vacant with utilities turned off for more than 60 days, if the unit or structure is occupied before the City issues a Compliance Inspection Certificate, the deposit is forfeited in its entirety.

<u>Deductions</u>: A deduction from the refund, or civil or criminal penalty, will occur if any of the following situations arise:

- 1) Absence of restroom facilities with approved enclosures for the construction workers at any time work on the Project is ongoing. Any violation of this provision shall result in a deduction from the deposit of \$15 each day there is a violation.
- 2) The site and surrounding areas shall be kept free from construction debris and litter with no significant accumulation outside of a required trash enclosure for more than twenty-four (24) hours. The trash enclosure is to be located on the Site through completion of the construction period. If the permit holder does not provide an orderly Site and the accumulation of unconfined debris threatens the surrounding areas, the City will advise the permit holder of their concern and require an immediate clean up. If the debris is not removed and a clean site established within forty-eight (48) hours from the date of the initial notification, the City shall issue a "Stop Work Order" at the site, and will not allow construction to proceed until the site is cleaned up. In addition, violations found by the City's Building Inspector or Code Enforcement Officer can result in a citation and fine to the contractor for up to \$500.00 per day that the debris is not cleaned up, and each day the debris is not cleaned up shall constitute a separate offense. The City's Building Inspector and Code Enforcement Officer are hereby given the authority to issue such citations.
- 3) Organic material (tree limbs, brush, etc.), which is cut and not removed from the Site within fourteen (14) days of being cut shall also constitute a violation of this Ordinance, and if not removed within fourteen (14) days, as required, the City shall issue a "Stop Work Order" at the Site, and will not allow construction to proceed until the material is removed. In addition, violations found by the City's Building Inspector or Code Enforcement Officer can result in a citation and fine to the contractor for up to \$500.00 per day that the material is not removed, and each day the material is not removed shall constitute a separate offense. The City's Building Inspector and Code Enforcement Officer are hereby given the authority to issue such citations.
- 4) The permit holder shall preserve, and totally restore to generally equivalent condition if damaged, City or POA-owned property including roads, drainage ditches or signs. Any un-repaired damage shall be repaired by a contractor hired by the City or POA where the site is located and the actual cost incurred by the City or POA for repair or restoration will be deducted from the deposit and, when applicable, paid to the Subdivision by the City for actual costs incurred by the POA.
- 5) No construction material, debris, removed brush or equipment may be located on properties adjacent to the Site without express written permission of its owner or agent. Unauthorized dumping on adjacent property, on roads or rights-of-way, or in violation of any City ordinance or regulation, including

but not limited to, an anti-dumping ordinance, will be removed by a contractor hired by the City and the actual cost incurred by the City for the removal will be deducted from the deposit.

- 6) Construction shall only occur during weekdays and Saturdays, and hours of work shall be no earlier than 7:00 a.m. and no later than 7:00 p.m., unless specifically approved by the City. To be able to start earlier per the City, the contractor must first obtain the approval of all residents within a two hundred (200) foot radius of the property, and provide such approval information to the Development Services Department at least forty-eight (48) hours prior to the date such early work start time is proposed. The Development Services Director shall either approve or deny such early work start time based on the evidence provided, and shall notify the contractor and the Police Department of the decision. Any violation of this provision shall result in a deduction from the deposit of \$500 each day there is a violation.
- 7) Permit holder must enforce compliance with the City's Parking Ordinance Sec. 12.03.004. (A copy of the ordinance is included on Attachment G or you can find all of the adopted ordinances on the City's website www.horseshoe-bay-tx.gov). Any violation observed and documented by the Code Enforcement Officer will result in a charge of \$100 each day the problem persists which will be deducted from the deposit. If a citation for the same problem is issued by the Police Department, it is the permit holder's responsibility to notify Development Services, so the charge will not be deducted from the deposit.
- 8) A copy of the building permit shall be posted at the site at all times during construction, at a location accessible and easily seen from the site's boundaries. Any violation of this provision shall result in a charge of \$15 for each day there is a violation which will be deducted from the deposit.
- 9) Any inspections requested and performed after hours will result in the undersigned being charged for the inspector's time. Inspections called for when project is not complete and ready for inspection will cost an additional \$100. This cost will be deducted from the Refundable Deposit.
- 10) Any portable toilet or dumpster on a construction site that has a Stop Work Order or has an expired Building Permit must be removed within 48 hours. Any portable toilet or dumpster not removed within 48 hours will result in a deduction from the deposit of \$100 per day for every day left on the site. If the portable toilet or dumpster is not removed within 5 days, the City can have them removed and the cost deducted from the deposit, and can require that the deposit be increased to cover the removal cost.
- **11**) Any inspections called for before the project is in a state of readiness will cost an additional \$100. This fee will be deducted from the construction deposit.
- 12) The permit holder is responsible for following the City's inspection procedure, including calling for inspections before covering up work. Failure to follow any required procedure will subject the permit holder to a fine not to exceed \$500. This fine may be deducted from the construction deposit.
- 13) Any non-conforming or unauthorized sign found on the site will be red-tagged by the Code Enforcement Officer. You will be required to remove the sign or bring it into compliance within five (5) days of issuance of the red-tag. If the sign is not removed or brought into compliance within that time period a fine of up to \$500 will be assessed to the permit holder. This fine can be deducted from the construction deposit.
- **14**) Should the Building Permit deposit balance become negative, a new deposit of \$1,000 will be required. If this should occur, the Site will be Red Tagged and all construction must stop until the additional deposit is submitted.

Acknowledgement:

I have received and reviewed this attachment, concerning the construction conduct and deposit requirements associated with the issuance of a Building Permit by the City of Horseshoe Bay. I understand the requirements and acknowledge that deductions and possible forfeiture of the deposit may occur as outlined in this attachment.

Signature of Contractor	Printed Name	Date
Signature of Owner	Printed Name	Date

ATTACHMENT C REQUIRED INSPECTIONS FOR NEW CONSTRUCTION AND REMODELS

Please call (830) 598-9959 to schedule inspections.

Prior to Any Inspection

- 1. A set of approved plans and a copy of the Building Permit must be on the jobsite available to the inspector at the time of each inspection.
- 2. A copy of the form survey needs to be provided to Development Services prior to the first inspection.
- 3. For single family dwellings in The Trails, the finished floor elevation for the slab must be provided by a licensed surveyor or engineer by GPS or other means on the form survey and be submitted to Development Services prior to the foundation pre-pour. An as-built elevation of the slab must also be provided prior to the final inspection.

<u>Inspections (Refer to the Plan Review Letter in your Permit Documents for all Required Inspections for your Approved Project) May Include:</u>

- 1. Temporary electrical service. Prior to covering trench from meter base to house and any yard lines except for irrigation valves.
- 2. Plumbing rough-in/foundation layout.
- 3. Copper/foundation pre-pour when not engineered. Slab Foundation after all reinforcing steel is in place and all under and in slab utilities are in place. For engineered foundations, prior to pouring the slab, the engineer of record, or a third party engineer, shall do the inspection and provide a copy of the engineer-stamped report to Development Services prior to commencing framing.
- 4. Water/sewer yard-lines. Water Distribution Prior to covering trench from meter to house. Pressure test with a minimum 80 PSI air. This can be done at slab pre-pour inspection. Sewer Plumbing. Grinder Tank & Line Prior to covering trench from the structure to the grinder tank and to the sewer main. Pressure test pipe with 10 foot head of water or 5 PSI air.
- 5. Combination inspections (Roof, Framing, Plumbing, Electric and Mechanical, Insulation, Drywall) NOTE: These inspections may be made independent of each other or at the same time. Roof after decking, sheathing, lathing and flashing, but prior to roof covering of metal, shingles or tile. Exterior Wall after sheathing, house wrap, window and door flashing, but prior to cladding. Plumbing pressure test water distribution pipes, bathtubs, and between floor sewer drain pipes. Electrical service inspection. Heating, Ventilation and Air Conditioning. Mechanical Equipment. LP Gas pressure test gas line. Framing Prior to insulation.
- 6. Re-frame and Insulation inspection. Insulation After the above inspections have been made with the exception of the exterior wall and roof.
- 7. Wallboard inspection. Drywall Prior to tape and floating.
- 8. Any re-inspection, if required.
- 9. Final inspection (combination)/Certificate of Occupancy. After the building is completed, subdivision deed restrictions are in compliance, City of Horseshoe Bay ordinances regarding building construction are in compliance and construction debris is removed, but prior to occupancy.

ATTACHMENT D

ITEMS REQUIRED TO BE COMPLIED WITH AS PART OF BUILDING PERMIT APPROVAL

- 1. Architectural Control Committee Approval Required First. Prior to issuing a Building Permit, you must submit (3) three sets of plans that have been approved by the appropriate Subdivision Architectural Control Committee. These plans will be reviewed by the City of Horseshoe Bay's Development Services Department for conformity to zoning ordinances, service utilities and building codes. Plans must include at a minimum a site plan, foundation plan, floor plan, electric plan, roof plan and all four exterior elevations showing type and color of roof, masonry, siding, trim, nature and extent of work proposed. Show in detail that all work will conform to the 2012 Edition International Residential Code or 2012 Edition International Building Code, 2015 Edition International Energy Conservation Code, 2012 Edition International Fire Code, and 2011 Edition National Electric Code.
- 2. On-Site Sewage Facility (OSSF) Permit Required When No Sanitary Sewer System is Available. A separate Septic System Permit issued by the City of Horseshoe Bay will be necessary if the site is not serviced by the city's utility sewer system.
- 3. <u>Flood Plain Permit Required for Construction in the Flood Plain.</u> A Flood Plain Permit issued by the City of Horseshoe Bay will be necessary for any building project located in the flood plain. Additionally a Development Permit from LCRA and permits from any other applicable agency governing building in the flood plain must be obtained prior to commencing construction. If the project is in the flood plain, two elevation certificates will be required. The first certificate is required after the foundation has been formed and prior to concrete pour. The second certificate is required prior to the final inspection and certificate of occupancy being issued.
- 4. <u>Silt Fencing Required.</u> Appropriate silt fencing must be in place immediately after the clearing of the construction site.
- 5. <u>Property Line Setbacks Must be Met.</u> It is the permit holder's responsibility to ascertain that construction conforms to property line setback restrictions. A copy of the form survey shall be given to the Development Services Department prior to the first scheduled inspection.
- 6. <u>18 Month Time Limit for Residential and Commercial Permits.</u> Construction shall be completed within (18) eighteen months from the date of the building permit for residential and commercial buildings. If construction is not commenced within (180) days of obtaining a permit, the permit becomes void and all applicable fees will be forfeited.
- 7. <u>9 Month Time Limit for Manufactured Home Permits.</u> Manufactured homes shall be placed on site and be ready for occupancy within (9) nine months from the date of the building permit.
- 8. <u>6 Month Time Limit for Accessory Structures.</u> Construction shall be completed within (6) six months from the date of the building permit for accessory structures, such as decks, swimming pools, fences and retaining walls. Exception accessory structures included in a residential or commercial building permit can be completed within the 18 month permit period.
- 9. Requests for Extensions of Time Limits Must be Submitted in Writing at the Time of Application. If the time required to complete the construction project will exceed the time allowed by the permit, a request for an extended permit period may be granted by the City. Requests for an extended permit period must be in writing and submitted with the Application 30 days prior to Permit expiration, otherwise a Re-permit must be requested for 6 months at a fee of \$500.00.
- 10. <u>Penalty For Starting Work Without a Permit.</u> Initiating construction prior to the issuance of a Building Permit will result in the permit fee being doubled.
- 11. <u>Any Work Stoppage for 180 Days Voids Permit.</u> Any cessation of work by the contractor on a project for a period of 180 days will result in the permit being voided. A stop work order will be issued on the

- site. All permit and deposit fees will be forfeited. A new permit will need to be obtained to continue construction on the site.
- 12. One 100 Day Extension of Permit May Be Granted. Should the Project not be completed within the permit term, the permit holder can apply to the City at least thirty (30) days before the expiration of the Building Permit, in writing, for an extension of up to one hundred (100) days. Should the Project not be completed within the extension period a stop work order will be issued on the site and a new Building Permit must be obtained to continue work at a minimum cost of \$500.
- 13. <u>Certificate of Occupancy Required Prior to Occupation of Structure.</u> A Certificate of Occupancy is required prior to permanent utilities being turned on. A new or remodeled residential or commercial structure shall not be occupied prior to a Certificate of Occupancy being issued by the Development Services Department of the City of Horseshoe Bay.
- 14. <u>Subdivision POA Approved Street Light Required.</u> It is the owner's responsibility to construct and install the appropriate subdivision street light.
- 15. Driveways to be Tied into Street at Street Level. It is the owner's/developer's responsibility to tie driveways into the street at the level of the street; and any damage to the curb or ribbon curb and or street needs to be repaired by the owner/developer. The tie-in should be concrete, asphalt stone, or paver bricks. No loose aggregate is permitted. The tie-in must comply with the relevant POA's requirement. Culverts should be sized to carry the flow, not cause or divert storm water flows onto another property. The culverts must be ½ the depth of the culvert unless otherwise clearly shown on the plans as designed by a professional engineer in such detail that it can be inspected. The culvert is the owner's responsibility to keep serviceable. The care, maintenance and repair of any access across any easement are the responsibility of the driveway owner. Should the City do work in the easement causing damage to a driveway, access and/or culvert, the City may, on a case by case basis, contribute to the repair of any such damage. In no instance will the City repair a driveway, access or culvert damaged by the City to better than its existing condition at the time of the damage.
- 16. <u>Construction Signs Must Follow Policy.</u> Construction signs must adhere to the policies of the City's sign ordinance and ACC requirements. Attachment F sets out the guidelines for construction signs. Only the general contractor may display a sign. Sub-contractors may not display signs.
- 17. <u>TDLR Approval Required for Construction Valued at More than \$50,000</u>. For any new business/commercial construction or alterations over \$50,000, documentation must be shown that the plans have been submitted to the Texas Department of Licensing and Regulation for review and inspection regarding handicapped accessibility. Plans must conform to the Texas Accessibility Standards. For information contact: Texas Department of Licensing and Regulation, Code Review and Inspection Division, Architectural Barriers Section, P. O. Box 12157, Austin, Texas 78711, 800-803-9202/512-463-3211 FAX: 512-475-2886
- 18. <u>LCRA Approval Required for Buildings Larger Than 10,000 Sq. Ft.</u> For any project containing 10,000 square feet or more of impervious cover, approval must be obtained from the Lower Colorado River Authority and documentation of that approval shall be submitted with the application. Erosion and sedimentation controls must be used for any soil disturbance activities. Obtain LCRA regulations by calling (800) 776-5272 or at www.lcra.org a. Dredge and fill activities (including retaining walls) must comply with LCRA dredge and fill standards. b. Boat docks must comply with the LCRA Residential Dock standards and Marinas require an LCRA permit.

ATTACHMENT E HORSESHOE BAY CONSTRUCTION ID SIGN POLICY

- 1. No permit will be issued for construction identification signs and no fee will be charged, but the building contractor must submit the written approval by the Architectural Control Committee (ACC) for the Subdivision in which the sign is to be located to the Development Services Department prior to placement of the construction sign on a property. No construction identification sign will be allowed to be posted on a property which has not first been signed off as approved by the ACC.
- 2. One approved Construction Identification Sign may be placed on a building site during the construction period plus ten (10) days, beginning with the date the building permit is approved and ending ten (10) days after the final inspection.
- 3. Illumination is prohibited.
- 4. A construction identification sign shall only be placed on the street side of the project. The sign is not allowed on the golf course side or to be visible from the golf course. The sign is not allowed on the waterfront side or the view side of properties.
- 5. The bottom of such Sign shall not exceed more than two (2) feet above grade.

ATTACHMENT F REQUIRED DOCUMENTATION FOR NEW CONSTRUCTION

- 1. An approved copy of the building plans and Building Permit shall be on the jobsite for use by the building inspector.
- 2. Form survey provided to Development Services prior to concrete placement.
- 3. Construction in the flood plain requires an elevation certificate with elevations taken from the slab level of the form boards prior to issuance of a Building Permit and prior to concrete placement.
- 4. All new residential dwellings, additions, and certain renovations require engineered foundation plans with an engineer's stamp and signature. Also, a copy of the engineer's report or a report by a 3rd party engineer with the engineer's stamp and signature stating the pre-pour inspection conformed to the approved engineered foundation plans must be provided to Development Services prior to the request for a framing inspection.
- 5. If the truss systems are inspected by the truss company or a qualified engineer then a copy of their report shall be given to the building inspector prior to cover up.
- 6. Construction in the flood plain requires a second elevation certificate with elevations taken from the lowest habitable floor.
- 7. Requirements for the energy-efficiency certificate. A permanent certificate shall be posted inside the electrical distribution panel. The certificate shall be completed by the builder or registered design professional. The certificate shall list the following:
- A. Predominant R-values of insulation in or on ceiling/roof.
- B. Predominant R-values of insulation in the walls.
- C. Predominant R-values of insulation in the sub floor or crawlspace.
- D. Predominant R-values of the ducts installed in unconditioned spaces.
- E. U-factors for fenestration.
- F. The solar heat gain coefficient (SHGC) of fenestration.
- G. Type and efficiency of heating and cooling equipment
- H. Type and efficiency of water heating equipment.

ATTACHMENT G PARKING ORDINANCE

Sec. 12.03.004 Parking at Commercial or Residential Construction Sites

Any person who receives a building permit for a construction purpose for a structure, facility, or accessory structure in the city shall be furnished with a copy of this article at the time such permit is issued or within a reasonable time thereafter, and such person shall be responsible for the following:

- (1) Commercial construction site.
- (A) All vehicles of any kind including vehicles required for construction and construction catering vehicles shall be parked off the street; either within the boundaries of a commercial construction site or at a location arranged for, either by lease, agreement, permission, or other lawful means.
- (B) Parking or standing of material delivery vehicles on the street is prohibited without a special use permit from the city.
- (2) Residential construction site.
- (A) If a vehicle, equipment, or trailer used by someone at the site for construction purposes, including a vehicle required for construction and construction catering vehicles, is parked on the street, all vehicles shall be parked only within the direct frontage of the actual construction site if adjacent lot(s) are developed and occupied, on the same side of the street as the construction site, and in the direction of the flow of traffic. Construction trailers must be removed from the roadway during hours of darkness.
- (B) Parking or standing for materials delivery vehicles on the street is limited to two (2) hours and is not allowed during hours of darkness.
- (C) Catering and other vendor vehicles must comply with subsection (2)(A) above, and no catering or vendor vehicle may park on the street at the site for more than one (1) hour during any four-hour period during any twenty-four-hour day.
- (3) Informing all employees, contractors, subcontractors, consultants, inspectors, or other persons who work at or visit the commercial construction site where vehicles may be parked during construction.
- (4) Arranging, when necessary, by lease, agreement, permission, or other lawful means, for off-street parking of vehicles of persons who work at or visit the commercial or residential construction site and, if necessary, the shuttling of such persons to and from the site.
- (5) Identifying, by temporary sign or other reasonable means, where parking is and is not allowed.
- (6) Ensuring that no vehicle or pedestrians of any kind or description blocks, impedes, or obstructs the normal flow of traffic at, near, and adjacent to the commercial or residential construction site.
- (7) Payment to the city of any fines or penalties imposed for violation of this section of this article.
- (8) Variances to these requirements may be requested in writing to the city at the time of application for a building permit.

ATTACHMENT H PORTABLE TOILETS

All portable toilets, when installed, must be concealed entirely on the three sides facing the street. The cover must be of either a chain link material in an earth tone color or can be made of the same materials for the walls and roof to match the home. However, the Architectural Control Committee for the subdivision may still require more restrictive cover than stated above, in which case only the approved cover will be allowed. Below are some examples of approved covers. The portable toilet may be located close to, but not adjacent to the street. Any violations of the Ordinance will result in a deduction from the deposit in the amount of \$15.00 per day of noncompliance.

Please note there are more requirements in the Ordinance that can be found in full by referencing Chapter 3 Building Regulations, Article 3.03 Building Permits, Section 3.03.014 Construction Conduct and Deposit, Subsection (b)(3)(I)(i) in the Code of Ordinances found online at www.horseshoe-bay-tx.gov.





ATTACHMENT I CITY OF HORSESHOE BAY

CHECKLIST FOR NEW CONSTRUCTION DOCUMENTS REQUIRED FOR PERMIT APPROVAL

Any Building Permit Application for Residential New Construction submitted to the City of Horseshoe Bay for approval must contain all of, but is not limited to, the following:

Three (3) sets of plans that conform to the City's currently accepted Building Codes and stamped, signed, & approved by the Architectural Control Committee of your subdivision. Plans must include at a minimum a site plan, electric plan, roof plan, floor plan, and all 4 exterior elevations. Plans must also contain:
 Foundation Plans designed, stamped, and signed by a Professional Engineer
 Wind Brace Plans designed, stamped, and signed by a Professional Engineer or Architect
 ResCheck Certificate showing compliance to the 2015 IECC
Completed subcontractor information must be on Attachment A of the permit application with their company name or name, phone numbers, mailing addresses, and <u>license numbers</u>
 _ Home Owner and General Contractor signatures must be on Attachment B of the permit application
 _ The General Contractor must be a Registered Contractor with the City of Horseshoe Bay

NOTE: A Building Permit application for new construction <u>will not be reviewed or issued if any of the above items are missing</u>. Also note that once a permit is approved and issued, you will be required to submit a form survey prior to your first inspection and a pre-pour inspection must be performed by your design engineer. A Certificate of Occupancy will not be granted at the end of the project without a form survey or the certification letter from an engineer for your pre-pour inspection.

As of January 1, 2016, the City of Horseshoe Bay uses the:

- 2012 International Building Code
- 2012 International Residence Code
- 2012 International Mechanical Code
- 2012 International Plumbing Code
- 2011 National Electric Code
- 2012 International Fire Code
- 2015 International Energy Conservation Code

When all items are turned in, your plans are forwarded to ATS Engineers, the City's Plan Review and Inspections consulting firm, for review and approval. When their review is complete we will notify you that the permit is ready to be paid for and issued. The review process can take 8-10 business days.